ELSEVIER

Brain Research 935 (2002) 140–141

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, K., see Manabe, Y. (935) 124
Acuna, D., see Ishiyama, G. (935) 16
Ambrosio, S., see Gómez-Santos, C. (935) 32
Avila, J., see Hernández, F. (935) 65

Barrachina, M., see Gómez-Santos, C. (935) 32

Cai, W.-Q., see Zhang, J.-Q. (935) 73
Chapman, V., see Kelly, S. (935) 103
Clarac, F., see Pflieger, J.-F. (935) 81
Commons, K.G., see Kow, L.-M. (935) 87

Degtyarenko, A.M. and Kaufman, M.P.
Bicuculline attenuates the MLR-induced suppression of dorsal horn neurons receiving group III afferent input (935) 109
Donovan, H.S., see Eisenman, L.M. (935) 114

Eisenman, L.M., Donovan, H.S. and Johnson, T.E.
Alcohol differentially affects c-Fos expression in the supraoptic nucleus of long-sleep and short-sleep mice (935) 114

Falconi, A., see Torterolo, P. (935) 9
Ferrer, I., see Gómez-Santos, C. (935) 32
Furukawa, S., see Miyake, K. (935) 24

Gobert, A., see Lejeune, F. (935) 134
Gómez-Santos, C., Ferrer, I., Reiriz, J., Viñals, F., Barrachina, M. and Ambrosio, S.
MPP^+ increases α-synuclein expression and ERK/MAP-kinase phosphorylation in human neuroblastoma SH-SY5Y cells (935) 32
Graham, S.H., see Rose, M.E. (935) 40
Gramsbergen, J.B., Sandberg, M., Møller Dall, A., Kornblit, B. and Zimmer, J.
Glutathione depletion in nigrostriatal slice cultures: GABA loss, dopamine resistance and protection by the tetrahydrobiopterin precursor sepiapterin (935) 47

Hashizume, K., see Sawamura, A. (935) 1
Hayashi, T., see Manabe, Y. (935) 124
Hernández, F., Pérez, M., Lucas, J.J. and Avila, J.
Sulfo-glycosaminoglycan content affects PHF-tau solubility and allows the identification of different types of PHFs (935) 65
Hinkle, P.M., Pekary, A.E., Senanayaki, S. and Sattin, A.
Role of TRH receptors as possible mediators of analeptic actions of TRH-like peptides (935) 59
Huerbin, M.B., see Rose, M.E. (935) 40

Ishiyama, A., see Ishiyama, G. (935) 16
Ishiyama, G., Lopez, I., Williamson, R., Acuna, D. and Ishiyama, A.
Subcellular immunolocalization of NMDA receptor subunit NR1, 2A, 2B in the rat vestibular periphery (935) 16

Johnson, T.E., see Eisenman, L.M. (935) 114

Kalynchuk, L.E., Meaney, M.J. and Kar, S.
Amygdala kindling decreases insulin-like growth factor-I receptor binding sites in the rat hippocampus (935) 118
Kar, S., see Kalynchuk, L.E. (935) 118
Kaufman, M.P., see Degtyarenko, A.M. (935) 109
Kelly, S. and Chapman, V.
Spinal administration of capsazepine inhibits noxious evoked responses of dorsal horn neurons in non-inflamed and carrageenan inflamed rats (935) 103
Kochanek, P.M., see Rose, M.E. (935) 40
Kornblit, B., see Gramsbergen, J.B. (935) 47
Kow, L.-M., Commons, K.G., Ogawa, S. and Pfaff, D.W.
Potentiation of the excitatory action of NMDA in ventrolateral periaqueductal gray by the μ-opioid receptor agonist, DAMGO (935) 87

Lejeune, F., Gobert, A. and Millan, M.J.
The selective neurokinin $(NK)_1$ antagonist, GR205,171, stereospecifically enhances mesocortical dopaminergic transmission in the rat: a combined dialysis and electrophysiological study (935) 134
Lopez, I., see Ishiyama, G. (935) 16
Lucas, J.J., see Hernández, F. (935) 65

Manabe, Y., Warita, H., Murakami, T., Shiote, M., Hayashi, T., Omori, N., Nagano, I., Shoji, M. and Abe, K.
Early decrease of the immunophilin FKBP 52 in the spinal cord of a transgenic model for amyotrophic lateral sclerosis (935) 124
Marion, D.W., see Rose, M.E. (935) 40
Meaney, M.J., see Kalynchuk, L.E. (935) 118
Melick, J., see Rose, M.E. (935) 40
Millan, M.J., see Lejeune, F. (935) 134
Miyake, K., Yamamoto, W., Tadokoro, M., Takagi, N., Sasakawa, K., Nitta, A., Furukawa, S. and Takeo, S.
Alterations in hippocampal GAP-43, BDNF, and L1 following sustained cerebral ischemia (935) 24
Møller Dall, A., see Gramsbergen, J.B. (935) 47
Morales-Cobas, G., see Torterolo, P. (935) 9
Murakami, T., see Manabe, Y. (935) 124

Nagano, I., see Manabe, Y. (935) 124
Nitta, A., see Miyake, K. (935) 24

Ogawa, S., see Kow, L.-M. (935) 87
Omori, N., see Manabe, Y. (935) 124

Palmer, A.M., see Rose, M.E. (935) 40
Pekary, A.E., see Hinkle, P.M. (935) 59
Pérez, M., see Hernández, F. (935) 65
Pfaff, D.W., see Kow, L.-M. (935) 87
Pflieger, J.-F., Clarac, F. and Vinay, L.
Picrotoxin and bicuculline have different effects on lumbar spinal networks and motoneurons in the neonatal rat (935) 81

Reiriz, J., see Gómez-Santos, C. (935) 32
Rose, M.E., Huerbin, M.B., Melick, J., Marion, D.W., Palmer, A.M., Schiding, J.K., Kochanek, P.M. and Graham, S.H.
Regulation of interstitial excitatory

0006-8993/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(02)02635-5

ELSEVIER

Brain Research 935 (2002) 140–141

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, K., see Manabe, Y. (935) 124
Acuna, D., see Ishiyama, G. (935) 16
Ambrosio, S., see Gómez-Santos, C. (935) 32
Avila, J., see Hernández, F. (935) 65

Barrachina, M., see Gómez-Santos, C. (935) 32

Cai, W.-Q., see Zhang, J.-Q. (935) 73
Chapman, V., see Kelly, S. (935) 103
Clarac, F., see Pflieger, J.-F. (935) 81
Commons, K.G., see Kow, L.-M. (935) 87

Degtyarenko, A.M. and Kaufman, M.P.
Bicuculline attenuates the MLR-induced suppression of dorsal horn neurons receiving group III afferent input (935) 109
Donovan, H.S., see Eisenman, L.M. (935) 114

Eisenman, L.M., Donovan, H.S. and Johnson, T.E.
Alcohol differentially affects c-Fos expression in the supraoptic nucleus of long-sleep and short-sleep mice (935) 114

Falconi, A., see Torterolo, P. (935) 9
Ferrer, I., see Gómez-Santos, C. (935) 32
Furukawa, S., see Miyake, K. (935) 24

Gobert, A., see Lejeune, F. (935) 134
Gómez-Santos, C., Ferrer, I., Reiriz, J., Viñals, F., Barrachina, M. and Ambrosio, S.
MPP^+ increases α-synuclein expression and ERK/MAP-kinase phosphorylation in human neuroblastoma SH-SY5Y cells (935) 32
Graham, S.H., see Rose, M.E. (935) 40
Gramsbergen, J.B., Sandberg, M., Møller Dall, A., Kornblit, B. and Zimmer, J.
Glutathione depletion in nigrostriatal slice cultures: GABA loss, dopamine resistance and protection by the tetrahydrobiopterin precursor sepiapterin (935) 47

Hashizume, K., see Sawamura, A. (935) 1
Hayashi, T., see Manabe, Y. (935) 124
Hernández, F., Pérez, M., Lucas, J.J. and Avila, J.
Sulfo-glycosaminoglycan content affects PHF-tau solubility and allows the identification of different types of PHFs (935) 65
Hinkle, P.M., Pekary, A.E., Senanayaki, S. and Sattin, A.
Role of TRH receptors as possible mediators of analeptic actions of TRH-like peptides (935) 59
Huerbin, M.B., see Rose, M.E. (935) 40

Ishiyama, A., see Ishiyama, G. (935) 16
Ishiyama, G., Lopez, I., Williamson, R., Acuna, D. and Ishiyama, A.
Subcellular immunolocalization of NMDA receptor subunit NR1, 2A, 2B in the rat vestibular periphery (935) 16

Johnson, T.E., see Eisenman, L.M. (935) 114

Kalynchuk, L.E., Meaney, M.J. and Kar, S.
Amygdala kindling decreases insulin-like growth factor-I receptor binding sites in the rat hippocampus (935) 118
Kar, S., see Kalynchuk, L.E. (935) 118
Kaufman, M.P., see Degtyarenko, A.M. (935) 109
Kelly, S. and Chapman, V.
Spinal administration of capsazepine inhibits noxious evoked responses of dorsal horn neurons in non-inflamed and carrageenan inflamed rats (935) 103
Kochanek, P.M., see Rose, M.E. (935) 40
Kornblit, B., see Gramsbergen, J.B. (935) 47
Kow, L.-M., Commons, K.G., Ogawa, S. and Pfaff, D.W.
Potentiation of the excitatory action of NMDA in ventrolateral periaqueductal gray by the μ-opioid receptor agonist, DAMGO (935) 87

Lejeune, F., Gobert, A. and Millan, M.J.
The selective neurokinin $(NK)_1$ antagonist, GR205,171, stereospecifically enhances mesocortical dopaminergic transmission in the rat: a combined dialysis and electrophysiological study (935) 134
Lopez, I., see Ishiyama, G. (935) 16
Lucas, J.J., see Hernández, F. (935) 65

Manabe, Y., Warita, H., Murakami, T., Shiote, M., Hayashi, T., Omori, N., Nagano, I., Shoji, M. and Abe, K.
Early decrease of the immunophilin FKBP 52 in the spinal cord of a transgenic model for amyotrophic lateral sclerosis (935) 124
Marion, D.W., see Rose, M.E. (935) 40
Meaney, M.J., see Kalynchuk, L.E. (935) 118
Melick, J., see Rose, M.E. (935) 40
Millan, M.J., see Lejeune, F. (935) 134
Miyake, K., Yamamoto, W., Tadokoro, M., Takagi, N., Sasakawa, K., Nitta, A., Furukawa, S. and Takeo, S.
Alterations in hippocampal GAP-43, BDNF, and L1 following sustained cerebral ischemia (935) 24
Møller Dall, A., see Gramsbergen, J.B. (935) 47
Morales-Cobas, G., see Torterolo, P. (935) 9
Murakami, T., see Manabe, Y. (935) 124

Nagano, I., see Manabe, Y. (935) 124
Nitta, A., see Miyake, K. (935) 24

Ogawa, S., see Kow, L.-M. (935) 87
Omori, N., see Manabe, Y. (935) 124

Palmer, A.M., see Rose, M.E. (935) 40
Pekary, A.E., see Hinkle, P.M. (935) 59
Pérez, M., see Hernández, F. (935) 65
Pfaff, D.W., see Kow, L.-M. (935) 87
Pflieger, J.-F., Clarac, F. and Vinay, L.
Picrotoxin and bicuculline have different effects on lumbar spinal networks and motoneurons in the neonatal rat (935) 81

Reiriz, J., see Gómez-Santos, C. (935) 32
Rose, M.E., Huerbin, M.B., Melick, J., Marion, D.W., Palmer, A.M., Schiding, J.K., Kochanek, P.M. and Graham, S.H.
Regulation of interstitial excitatory

0006-8993/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(02)02635-5

amino acid concentrations after cortical contusion injury (935) 40

Sandberg, M., see Gramsbergen, J.B. (935) 47
Sasakawa, K., see Miyake, K. (935) 24
Sattin, A., see Hinkle, P.M. (935) 59
Sawamura, A., Hashizume, K. and Tanaka, T.
Electrophysiological, behavioral and metabolical features of globus pallidus seizures induced by a microinjection of kainic acid in rats (935) 1
Schiding, J.K., see Rose, M.E. (935) 40
Senanayaki, S., see Hinkle, P.M. (935) 59
Shiote, M., see Manabe, Y. (935) 124
Shoji, M., see Manabe, Y. (935) 124
Sorimachi, M., Yamagami, K. and Wakomori, M.
Activation of ATP receptor increases the cytosolic Ca^{2+} concentration in ventral tegmental area neurons of rat brain (935) 129
Su, B.-Y., see Zhang, J.-Q. (935) 73

Tadokoro, M., see Miyake, K. (935) 24
Takagi, N., see Miyake, K. (935) 24
Takeo, S., see Miyake, K. (935) 24
Tanaka, T., see Sawamura, A. (935) 1
Torterolo, P., Falconi, A., Morales-Cobas, G. and Velluti, R.A.
Inferior colliculus unitary activity in wakefulness, sleep and under barbiturates (935) 9

Velluti, R.A., see Torterolo, P. (935) 9
Viñals, F., see Gómez-Santos, C. (935) 32
Vinay, L., see Pflieger, J.-F. (935) 81

Wakomori, M., see Sorimachi, M. (935) 129
Warita, H., see Manabe, Y. (935) 124
Williamson, R., see Ishiyama, G. (935) 16

Yamagami, K., see Sorimachi, M. (935) 129
Yamamoto, W., see Miyake, K. (935) 24

Zhang, J.-Q., Cai, W.-Q., Zhou, D.-S. and Su, B.-Y.
Distribution and differences of estrogen receptor beta immunoreactivity in the brain of adult male and female rats (935) 73
Zhou, D.-S., see Zhang, J.-Q. (935) 73
Zimmer, J., see Gramsbergen, J.B. (935) 47